

## Technical Field

10

## 15

20

25

30

directed activities accessible to a substantial portion of the industrial world's population, which, up to a few years ago was computer-illiterate or, at best, computer indifferent. The population will, to a large part, have to become involved with computer interfaces and computer interfaces must, thus, continue to be simplified and made more user friendly.

This problem of simplification is particularly pronounced in the Web or Internet. Hypertext Markup Language (HTML), which has been the documentation language of the Internet or Web for years, offers direct links between pages and other documentation on the Web and a variety of related data sources that were, at first, text and then images, and now include media, i.e. "hypermedia", which involves audio, video and all types of visual files. It was possible for the Web browser to spend literally hours going through document after document in search of hypermedia files of accompanying media events in often less than productive excursions through the Web. The obvious advantage of the Web is that a user has extensive access to such media events that he may access and use in his own presentations. The problem remains in locating them. A significant source of this problem is in the Web page, the basic document page of the Web. In the case of Web pages, we do not have the situation of a relatively small group of professional designers working out the human factors, rather, in the era of the Web, anyone and everyone can design a Web page. As a result, pages are frequently designed by developers without imaging or graphics layout skills. Media files may frequently be hard to recognize and locate in such pages. When we refer to Web pages, we are actually referring to Web

0989455-070501

documents that are often dozens of pages in length and often eclectically developed and organized. Most do not have adequate indices. Thus, the user has to scroll through a lengthy Web document that frequently contains  
5 ancillary distractions, such as advertising, to try to find the particular data of interest.

#### Summary of the Present Invention

0989455-070504  
The present invention provides a solution that simplifies scrolling through lengthy Web or other  
10 documents in search of particular data types or files. In a system for scrolling a displayed document using a scroll bar for indicating the position of the displayed data in the direction being scrolled, there is provided means for determining the type of the displayed data  
15 being scrolled at said position, in combination with means responsive to said determining means for indicating within said scroll bar the type of data being scrolled at said position. A color indicator has been found to provide very effective indication.

20 While this invention may be used quite effectively on the Web for the above-described problems, it may also be a tool in locating predetermined types of data in scrolling through long word processed documents, such as legal briefs or technical and commercial reports.

25 In the HTML documents of the Web or in E-Mail, the invention is particularly useful in locating non-ascii text files, such as GIF or MIME data files, within the ascii text of the document. The scroll bar indicators of the present invention may even be used to focus the  
30 user's to embedded hyperlinks in such HTML documents.

### Brief Description of the Drawings

The present invention will be better understood and its numerous objects and advantages will become more apparent to those skilled in the art by reference to the following drawings, in conjunction with the accompanying specification, in which:

Fig. 1 is a block diagram of a data processing system including a central processing unit and network connections via a communications adapter that is capable of implementing a user interactive workstation such as a Web receiving station on which received data may be converted into displayed Web pages;

Fig. 2 is a generalized diagrammatic view of a Web portion upon which the present invention may be implemented;

Fig. 3 is a diagrammatic view of a Web page displayed and scrolled at a receiving display station with a typical GIF image data file being indicated by a scroll bar indicator;

Fig. 4 is a diagrammatic view of a received E-mail document displayed and scrolled at a receiving display station with a MIME image data file being indicated by a scroll bar indicator;

Fig. 5 is an illustrative flowchart describing the setting up of the elements needed for the program for implementing scroll bar indicators to point to different data types in received Web documents; and

Fig. 6 is a flowchart of an illustrative run of the program set up in Fig. 5.

### Detailed Description of the Preferred Embodiment

Referring to Fig. 1, a typical data processing terminal is shown that may function as a standalone

0999455-070501

computer controlled display unit for processing displayed documents or as a Web display station used for receiving Web pages. Such display units or Web stations may be used in the practice of the present invention for

5 scrolling documents and indicating the data types being scrolled through indicators in the scroll bar.

A central processing unit (CPU) 10, such as one of the PC microprocessors or workstations, e.g. RISC System/6000™ (RS/6000) series available from

10 International Business Machines Corporation (IBM), is provided and interconnected to various other components by system bus 12. An operating system 41 runs on CPU 10, provides control and is used to coordinate the function of the various components of Fig. 1. Operating system 41

15 may be one of the commercially available operating systems such as the AIX 6000™ operating system available from IBM; Microsoft's Windows98™ or WindowsNT™, as well as UNIX and IBM's AIX operating systems. Application programs 40, controlled by the system, are moved into and

20 out of the main memory Random Access Memory (RAM) 14. These programs include the programs of the present invention for providing an indicator within the scroll bar to indicate the type of data being scrolled. These programs will be subsequently described in combination

25 with any conventional Web browser, such as the Netscape Navigator 3.0™ or Microsoft's Internet Explorer™. A Read Only Memory (ROM) 16 is connected to CPU 10 via bus 12 and includes the Basic Input/Output System (BIOS) that controls the basic computer functions. RAM 14, I/O

30 adapter 18 and communications adapter 34 are also interconnected to system bus 12. I/O adapter 18 may be a Small Computer System Interface (SCSI) adapter that communicates with the disk storage device 20.

T05020"546650

Communications adapter 34 interconnects bus 12 with an outside network enabling the data processing system to communicate with other such systems over a Local Area Network (LAN) or a Wide Area Network (WAN), which includes, of course, the Web or Internet. I/O devices are also connected to system bus 12 via user interface adapter 22 and display adapter 36. Keyboard 24 and mouse 26 are all interconnected to bus 12 through user interface adapter 22.

It is through such input devices that the user may interactively relate to Web pages. Display adapter 36 includes a frame buffer 39, which is a storage device that holds a representation of each pixel on the display screen 38. Images may be stored in frame buffer 39 for display on monitor 38 through various components, such as a digital to analog converter (not shown) and the like. By using the aforementioned I/O devices, a user is capable of inputting information to the system through the keyboard 24 or mouse 26 and receiving output information from the system via display 38.

Before going further into the details of specific embodiments, it will be helpful to understand, from a more general perspective, the various elements and methods which may be related to the present invention. Since the major aspect of the present invention is directed to Web pages transmitted over global networks, such as the Web or Internet, an understanding of networks and their operating principles would be helpful. We will not go into great detail in describing the networks to which the present invention is applicable. For details on Web nodes, objects and links, reference is made to the text, Mastering the Internet, G. H. Cady et al., published by Sybex Inc., Alameda, CA, 1996; or the text,

09399455-070501

5

15

20

30

shown in Fig. 1. For purposes of the present embodiment, computer 56 display 57 serves as a Web display station and has received displayed Web page 48 which is one of a sequence of Web pages.

5       Reference may be made to the above-mentioned  
Mastering the Internet, pp. 136-147, for typical  
connections between local display stations to the Web via  
network servers, any of which may be used to implement  
the system on which this invention is used. The system  
10   embodiment of Fig. 2 has a host dial-up connection. Such  
host dial-up connections have been in use for over 30  
years through network access servers 53 which are linked  
51 to the Web 50. The servers 53 may be maintained by a  
service provider to the client's display terminal 56, 57.  
15   The host's server 53 is accessed by the receiving or  
requesting terminal 56, 57 through a normal dial-up  
telephone linkage 58 via modem 54, telephone line 55 and  
modem 52. The HTML file representative of the Web page  
48 has been downloaded to display terminal 57 through Web  
20   access server 53 via the telephone line linkages from  
server 53, which may have accessed them from the Internet  
50 via linkage 51. The Web browser program 47 operates  
within the display terminals 57 to control the  
communication with the Web access server 53 to thereby  
25   download and display the accessed Web pages 56 on display  
terminal 57. The Web documents are accessed from Web  
site resources 49 and 59.

With this setup, the present invention, which will be subsequently described in greater detail with respect to Figs. 3 through 6, may be carried out using Web browser program 47 in the case of scrolling through a Web page. In Fig. 3, there is shown a Web page 64 that originated from Web site 65 on the subject of Antarctic



thereby determine the file type. On the Web, files transmitted are identified by file extensions. For example: dolphins.bmp, dolphins.mov, dolphins.jpg or dolphins.gif, where the extensions define the file types.

- 5 The above-mentioned text, Mastering the Internet, at pp. 300-313, discusses the various file extensions handled by Web browsers and the types and nature of the files they designate.

While the present invention is most advantageously  
10 used in identifying data types in Web documents and E-mail, it may be used in standalone document processing systems. For example, in a lengthy legal brief, changes made throughout the document may be entered in italics. Thus, the system of scrolling through the document for  
15 subsequent proofing and editing may be set up so that whenever the italics type of data is reached, the indicator appears in the scroll bar.

Fig. 5 is a flowchart showing the development of a process according to the present invention for providing  
20 a scroll bar indicator identifying selected types of data. The illustration will be at a Web receiving station where there is provided a Web browser for accessing pages from the Web and for loading and displaying such pages at a receiving display station,  
25 step 71. The browser is provided with the capability to scroll the received pages via a scroll bar, step 72. During the translation of the Web page from the received Web page in HTML to the natural language of the displayed document, the browser is provided with the capability of  
30 defining non-ascii file types by identifying their respective file extensions, step 73. A color ID Table is provided for designating a different color for each file type, step 74. The browser is provided with the

09899455-070501

5

be described with respect to the flowchart of Fig. 6.

10 The flowchart represents some steps in a routine that  
will illustrate the operation of the invention as set  
forth in the above process. An initial determination is  
made, step 81, as to whether the user has requested a Web  
page. If No, the process is returned to step 81 and the  
15 selection of such a page is awaited. If Yes, then the  
browser obtains and loads the requested Web page. A  
determination is made as to whether the scrolling has  
commenced, step 83. If No, the process is returned to  
step 83 and the commencement of scrolling is awaited. If  
20 Yes, then a further determination is made as to whether  
the current data being scrolled past is ascii text, step  
84. If Yes, it is routinely displayed, step 85. If No,  
then the file type is determined, step 86, the color of  
the determined file type is looked up, step 87, and the  
25 appropriate color is displayed in the scroll bar  
coincident with the file type being scrolled, step 88.  
At this point and/or after step 85, a determination is  
made as to whether we are at the end of the page being  
scrolled, step 89. If Yes, the particular page is  
30 exited, step 90. If No, the process is returned to step  
83 where the scrolling is continued.

One of the preferred implementations of the present invention is in application program 40, i.e. a browser

5

20

in another readable medium, e.g. in disk drive 20 or in a removable memory, such as an optical disk for use in a CD ROM computer input or in a floppy disk for use in a

departing from the scope and intent of the appended